

New construction and major renovation lighting incentives

Category	Install	Incentive
Premium T8 Fluorescent Fixture Upgrade [Lamps with initial lumens \geq 3100 or wattage \leq 30 W; electronic ballasts with ballast factor \leq 0.8]	4'-1 or 2 premium T8 lamp(s) + 1 electronic ballast (EB)	\$7
	4'-3 or 4 premium T8 lamps + EB	\$10
T5 Fluorescent Fixture Upgrade	2 T5 high output lamps (nominal 4') + EB (interior fixtures)	\$20
	3 T5 high output lamps (nominal 4') + EB (high bay)	\$40
	\geq 4 T5 high output lamps (nominal 4') + EB(s) (high bay)	\$60
	1 T5 lamp (nominal 4') + EB (interior fixtures)	\$10
	2 T5 lamps (nominal 4') + EB (interior fixtures)	\$25
	3 T5 lamps (nominal 4') + EB (interior fixtures)	\$30
T8 Fluorescent Fixture Upgrade (high bay)	4'- \geq 4 T8 lamps + EB(s) (high bay)	\$45
High Intensity Discharge Upgrades (based on lamp wattages)	\leq 100 W ceramic metal halide	\$20
	$>$ 100 W ceramic metal halide	\$40
	\geq 125 W pulse start metal halide	\$30
Lighting Controls	Integral occupancy sensor	\$25
Light Emitting Diode (LED) Lighting Channel letter signs	Indoor LED channel letter signage \leq 2' high	\$4/linear foot
	Indoor LED channel letter signage $>$ 2' high	\$6/linear foot
	Outdoor LED channel letter signage \leq 2' high	\$2/linear foot
	Outdoor LED channel signage $>$ 2' high	\$3/linear foot

Notes for new construction and major renovation lighting incentives:

- The date of the building permit application establishes the applicable version of the California energy code.
- The total connected interior lighting power for new construction/major renovation projects required to comply with the energy code must be 10 percent lower than the interior lighting power allowance calculated under the applicable version of the California energy code. For new construction/major renovation projects not required to comply with the energy code, the total connected lighting power must be 10 percent lower than common practice as determined by Pacific Power.
- Incentives are not available for lighting controls required under the applicable version of the California energy code.
- Two-foot u-tube lamps may be substituted for 4' linear fluorescent lamps in the above table.
- Electronic ballasts for high bay fixtures are required to have a ballast factor of less than or equal to 1.2 to be eligible for incentives.
- To determine the length of LED channel letter signs, measure the length of the individual letter at the centerline and add the individual values; do not measure the distance between letters.
- LED traffic light upgrades are not eligible for incentives.
- Incentives are available via a post-purchase incentive application process. Applying prior to placing purchase orders is recommended but not required.