

## Incentives for building envelope new construction/major renovation

| Equipment Type                     | Category   | Minimum Efficiency Requirement  | Customer Incentive |
|------------------------------------|------------|---|--------------------|
| <b>Cool Roof</b>                   | --         | ENERGY STAR <sup>®</sup> qualified  | \$0.10/square foot |
| <b>Roof/Attic Insulation</b>       | --         | Minimum increment of R-5 insulation above code (See note 5)               | \$0.04/square foot |
| <b>Wall Insulation</b>             | --         | Minimum increment of R-3.7 continuous insulation above code (See note 5)  | \$0.05/square foot |
| <b>Windows</b><br>(See notes 3, 4) | Site-built | U-factor $\leq 0.30$ and SHGC $\leq 0.33$ (glazing only rating)           | \$0.34/square foot |
|                                    | Assembly   | U-factor $\leq 0.30$ and SHGC $\leq 0.33$ (entire window assembly rating) | \$0.34/square foot |

### Notes for building envelope incentives for new construction/major renovation projects:

1. Equipment that meets or exceeds the efficiency requirements listed for the equipment category in the above table may qualify for the listed incentive.
2. Building must be conditioned with mechanical cooling to be eligible for envelope incentives.
3. Window square footage is determined by the dimensions of the entire window assembly, not just the window glass.
4. Energy performance of window assemblies and glazing products must be rated in accordance with NFRC. Site-built metal window systems must include a thermal break within the frame or other appropriate NFRC certification to qualify for incentives. Skylights are not eligible to receive incentives.
5. Compliance with the minimum efficiency requirements of the roof/attic insulation and wall insulation measures may be demonstrated with equivalent U-factors and is subject to Pacific Power approval.

NFRC = National Fenestration Rating Council  
SHGC = Solar Heat Gain Coefficient



Let's turn the answers on.