

INCENTIVES FOR BUILDING ENVELOPE (NEW CONSTRUCTION/MAJOR RENOVATION)

EQUIPMENT TYPE	CATEGORY	MINIMUM EFFICIENCY REQUIREMENT	CUSTOMER INCENTIVE
Windows (See notes 3, 4)	Site-built	U-factor ≤ 0.30 and SHGC ≤ 0.33 (glazing only rating)	\$0.42/square foot
	Assembly	U-factor ≤ 0.30 and SHGC ≤ 0.33 (entire window assembly rating)	\$0.42/square foot

Notes for building envelope incentives for new construction/major renovation projects:

1. Equipment that meets or exceeds the efficiency requirements listed for the equipment category in the above table may qualify for the listed incentive.
2. Building must be conditioned with mechanical cooling to be eligible for envelope incentives.
3. Window square footage is determined by the dimensions of the entire window assembly, not just the window glass.
4. Energy performance of window assemblies and glazing products must be rated in accordance with NFRC. Site-built metal window systems must include a thermal break within the frame or other appropriate NFRC certification to qualify for incentives. Skylights are not eligible to receive incentives.
5. Equipment installed to comply with the applicable version of the state energy code, but not exceeding that code, is not eligible for incentives.

NFRC = National Fenestration Rating Council
 SHGC = Solar Heat Gain Coefficient